

Day: Tuesday Date: 9/30/2003 Time: 14:37:44

## **Inventor Name Search**

Enter the first few letters of the Inventor's Last Name. Additionally, enter the first few letters of the Inventor's First name.

Last Name	First Name	
Ahmady	Farshid	Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

L Number	Hits	Search Text	DB	Time stamp
-	310	(126/91R).CCLS.	USPAT;	2003/09/30 12:14
		(120/01/1/10020)	US-PGPUB	
_	422	(126/91A).CCLS.	USPAT;	2003/09/30 12:14
		(120,0 ), 1,0 020.	US-PGPUB	
_	115	((126/91A).CCLS.) and (fan or blower)	USPAT;	2003/09/30 12:15
_	'''	(12070 17 t). 3 3 2 3.7 and (tall of 2.5 way)	US-PGPUB	
_	64	126/91A.ccls. and (fan or blower)	USOCR	2003/09/30 12:15
•	20	((126/91A).CCLS.) and (fan or blower) and (hot-spot or (hot	USPAT;	2003/09/30 12:19
-	20	near2 spot))	US-PGPUB	2000/00/00 12:10
1	2	126/91A.ccls. and (fan or blower) and (hot-spot or (hot near2	USOCR	2003/09/30 12:18
-	_	spot))	000011	2000/00/00 12:10
_	3	126/92B.ccls. and (fan or blower) and (hot-spot or (hot near2	USPAT;	2003/09/30 12:20
-	٦	spot))	US-PGPUB	2000/00/00 12:20
	176	(radiant near5 heat\$3) and (hot-spot or (hot near2 spot))	USPAT;	2003/09/30 12:21
-	170	same cool\$3	US-PGPUB	2000/05/00 12.21
	68	(radiant near5 heat\$3) and (hot-spot or (hot near2 spot))	USPAT;	2003/09/30 12:21
-	00	same cool\$3 and (fan or blower)	US-PGPUB	2000/00/00 12.21
	21	(radiant near5 heat\$3) and (hot-spot or (hot near2 spot))	USPAT;	2003/09/30 12:23
-	21		US-PGPUB	2003/09/30 12.23
	_	same cool\$3 and (fan or blower) and (controller)	USPAT;	2003/09/30 12:24
-	6	(radiant near5 heat\$3) and (hot-spot or (hot near2 spot))		2003/0 <del>3</del> /30 12.24
	_	near5 cool\$3 and (fan or blower) and (controller)	US-PGPUB	2002/00/20 42:25
.  <del>-</del>	0	(radiant near5 heat\$3) and (hot-spot or (hot near2 spot))	EPO; JPO	2003/09/30 12:25
		near5 cool\$3 and (fan or blower) and (controller)	EDO: IDO	2002/00/20 42:25
-	0	(radiant near5 reflector) and (hot-spot or (hot near2 spot))	EPO; JPO	2003/09/30 12:25
		near5 cool\$3 and (fan or blower) and (controller)	LICDAT.	2002/00/20 42:25
-	1	(radiant near5 reflector) and (hot-spot or (hot near2 spot))	USPAT;	2003/09/30 12:25
		near5 cool\$3 and (fan or blower) and (controller)	US-PGPUB	0000/00/20 40/20
] <del>-</del>	2	(radiant near5 reflector) and (hot-spot or (hot near2 spot))	USPAT;	2003/09/30 12:32
		near5 cool\$3 and (fan or blower)	US-PGPUB	0000/00/00 40:06
-	0	(radiant near5 reflector) and (hot-spot or (hot near2 spot))	USOCR	2003/09/30 12:26
		near5 cool\$3 and (fan or blower)	EDO: 100	0000/00/00 40/00
-	0	(radiant near5 reflector) and (hot-spot or (hot near2 spot))	EPO; JPO	2003/09/30 12:26
		near5 cool\$3 and (fan or blower)	LICDAT	0000/00/00 40:00
-	1	("4494316").PN.	USPAT;	2003/09/30 12:26
		(100005001) BN	US-PGPUB	0000/00/00 40:00
-	1	("6286500").PN.	USPAT; US-PGPUB	2003/09/30 12:30
		((0.4.0.0.0.4.4.40) = 0.7.(0.4.7.00) = 0.7.(0.2.0.7.0.4.5.60) = 0.7.(0.4.7.0.7.0.5.40) = 0.7.(0.4.7.0.7.0.5.0.5) = 0.7.(0.4.7.0.7.0.5.0.5) = 0.7.(0.4.7.0.7.0.5.0.5) = 0.7.(		2002/00/20 42:27
-	6	(("1639114") or ("2759472") or ("3279455") or ("4727854") or	USPAT;	2003/09/30 12:27
		("5044353") or ("5626125")).PN.	US-PGPUB	0000/00/00 40:00
-	1	(400/054) 0010	USPAT	2003/09/30 12:29
-	62	(126/85A).CCLS.	USPAT;	2003/09/30 12:31
1	١ .	100/054	US-PGPUB	0000/00/00 40:04
-	0	126/85A.ccls. and (hot near2 spot)	USPAT;	2003/09/30 12:31
	_	400/00 AO and /h-4 4 /h-4 411	US-PGPUB	2002/00/20 40:20
-	0	126/92AC.ccls. and (hot-spot or (hot near2 spot)) near5	USPAT;	2003/09/30 12:32
	_	cool\$3 and (fan or blower)	US-PGPUB	2002/00/20 40:20
-	2	126/92AC.ccls. and (hot-spot or (hot near2 spot)) near5	USPAT;	2003/09/30 12:32
	_	cool\$3	US-PGPUB	0000/00/00 40:00
-	5	(radiant near5 reflector) and (hot-spot or (hot near2 spot))	USPAT;	2003/09/30 12:32
[	_	near5 cool\$3	US-PGPUB	0000/00/00 40:00
-	0	126/91R.ccls. and ((fan or blower) near5 cool\$3)	USPAT;	2003/09/30 12:33
	_	100/044 1 1/45 11 1 7 100	US-PGPUB	0000/00/00 10 00
-	8	126/91A.ccls. and ((fan or blower) near5 cool\$3)	USPAT;	2003/09/30 12:33
	_	400/000	US-PGPUB	0000/00/00 40 00
-	2	126/92B.ccls. and ((fan or blower) near5 cool\$3)	USPAT;	2003/09/30 12:36
		(#0F74500W (#0005070W)	US-PGPUB	0000/00/00 40 07
-	10	(("3574508") or ("3265376") or ("2131484") or ("3251356") or	USPAT;	2003/09/30 12:37
	1	("1669569") or ("2410211") or ("2331950") or ("3434466") or	US-PGPUB	
		("3424146") or ("3291115")).PN.	LIGHT	0000/00/00 10 55
-	13	3805763.uref,repn,rlpn,bi.	USPAT;	2003/09/30 12:50
		50,40000,00	US-PGPUB	0000/00/00 10:50
-	496	F24C003/00	EPO; JPO	2003/09/30 12:50
-	293	F24C003/04	EPO; JPO	2003/09/30 12:50
-	1557	F24C003/12	EPO; JPO	2003/09/30 12:50

-	1	(F24C003/00 or F24C003/04 or F24C003/12) and (hot near2	EPO; JPO	2003/09/30 12:51
		spot)	EPO: JPO	2003/09/30 12:51
-	1 11	(F24C003/00 or F24C003/04 or F24C003/12) and (radiant same reflector)	EPO, 3PO	2003/09/30 12.51
-	18	(F24C003/00 or F24C003/04 or F24C003/12) and (cool\$3	EPO; JPO	2003/09/30 12:53
		same (fan or blower))		
-	0	,	EPO; JPO	2003/09/30 12:52
		and cool\$3   (("4494316") or ("6286500") or ("5626125") or ("5052921") or	USPAT:	2003/09/30 12:54
-		((4494516) or (3805763") or ("4634373") or	US-PGPUB	2000/00/00 12:04
		("4390125")).PN.		
-	9	,	USPAT;	2003/09/30 12:56
		control\$4) and thermostat	US-PGPUB	
-	1	("4716883").PN.	USPAT;	2003/09/30 12:56
			US-PGPUB	